

QUALITY REPLACEMENT PARTS FOR



®PERKINS IS THE REGISTERED TRADEMARK OF PERKINS LIMITED

TABLE OF CONTENTS

PRODUCTS	PAGE
PISTON WITH PIN & CLIP	3
PISTON RING SET	4
SLEEVE, CYLINDER	5
MAIN BEARING SET	6-7
CON-ROD BEARING SET	8-10
THRUST WASHER	11-12
BUSHING (ROD & CAM)	13
GASKET SET, TOP	14-16
GASKET SETS, BOTTOM	17-18
OIL SEALS, CRANKSHAFT	19
ENGINE VALVES	20-21
GUIDES, VALVE	22
MISCELLANEOUS	23-24

ALL MANUFACTURERS NAMES, NUMBERS, SYMBOLS AND DESCRIPTIONS ARE USED FOR REFERENCE ONLY, AND DO NOT INDICATE THAT ANY PART IS MADE BY THESE MANUFACTURERES.

(May 3, 2019)

PISTON W/PIN & CLIP

EVS® NUMBER	OEM NUMBER	ENGINE	CYL.	BORE	REMARK
PERKINS®					
2002-11101	68301	4.236	4	3.875"	
2002-11102	U5LP0047	G4.236	4	3.875"	
2002-11103	U5LP0022	T4.236	4	3.875"	
2002-11129	U5LP0046	T4.236	4	3.875"	
2002-11131	82878	A4.236	4	3.875"	
2002-11104	89207	4.248	4	3.975"	
2002-11105	U5LP009	4.248	4	3.975"	
2002-11106	68814	4.248.2	4	3.975"	
2002-11107	81512	3.152/4.203	3/4	3.600"	
2002-11108	68332	D3.152/D4.203	3/4	3.600"	
2002-11109	86723	G3.152G4.203	3/4	3.600"	
2002-11132	U5LP0017	3.152.4	3	3.600"	
2002-11133	U5LP0029	T3.152.4	3	3.600"	
2002-11121	89214	D3.152	4	3.600"	
2002-11110	68801	4.203.2	4	3.600"	
2002-11111	86740	6.354/6.354.1/6.354.4	6	3.875"	
2002-11113	86726	T6.354/T6.354.1	6	3.875"	
2002-11115	68803	T6.354.4	6	3.875"	
2002-11122	U5LP0014	6.354.4	6	3.875"	
2002-11123	U5LP0021	6.354.4	6	3.875"	
2002-11126	68805	T6.354.1	6	3.875"	
2002-11128	U5LP0019	6.354.6	6	3.875"	
2002-11116	U5LL0015	1004 NA / 1006 NA	4/6	3.937"	
2002-11118	U5LL0016	1004T / 1006 T	4/6	3.937"	
2002-11119	U5LL0014	1004T/1006T	4/6	3.937"	
2002-11120	U5LL0017	1004 NA / 1006 NA	4/6	3.937"	
2001-11140	U5LP0058	1004.40	4		
2001-11141	U5LP0057	1004.40	4		
2002-11117	86716	4.318	4	4.500"	
2002-11127	68810	4.318	4	4.500"	
2002-11124	69491	4.108	4	3.125"	
2002-11125	68383	4.108	4	3.125"	
2002-11130	86721	4.212	4		
2001-11005	3135J301	1103/1104	3/4		
2001-11006	3135M105	1103/1104	3/4		
2002-11002	3135M111	1103/1104	3/4		

PISTON RING SET

EVS® NUMBER	OEM NUMBER	ENGINE	CYL.	BORE	REMARK
PERKINS®					
2003-11058	41158041	4.236	4	3.875"	
2003-11102	41158142	G4.236	4	3.875"	
2003-11103	4181A022	T4.236	4	3.875"	
2003-11126	41158045	T4.236	4	3.875"	
2003-11104	4181A009	4.248	4	3.975"	
1003-12027	41158022	4.248/4.248.2	4	3.975"	
2003-11107	41158058	3.152/4.203/D4.203	3/4	3.600"	
2003-11108	41158057	D3.152/D4.203	3/4	3.600"	
2003-11109	41158012	G3.152	3	3.600"	
2003-11121	41158065	D3.152	3	3.600"	
2003-11132	41158144	T3.152.4	3	3.600"	
2003-11133	4181A017	T3.152.4	3	3.600"	
2003-11131	41158134	G4.203	4	3.600"	
2003-11110	41158007	4.203.2	4	3.600"	
2003-11130	41158056	4.203	4	3.600"	
2003-11119	41158026	6.354/6.354.1	6	3.875"	
2003-11120	41158017	6.354.4	6	3.875"	
2003-11113	41158031	T6.354/T6.354.1	6	3.875"	
2003-11115	41158005	T6.354.4	6	3.875"	
2003-11127	41158014	6.354.4	6	3.875"	
2003-11129	41158025	6.354	6	3.875"	
2003-11117	41158118	4.318	4	4.500"	
2003-11128	41158132	4.318	4	4.500"	
2003-11116	4181A019	1004NA/1006NA	4/6	3.937"	
2003-11118	4181A026	1004T/1006T	4/6	3.937"	
2003-11122	41158008	4.108	4	3.125"	
2003-11123	41158086	4.108	4	3.125"	
2003-11124	41158087	4.108	4	3.125"	
2003-11125	41158004	4.108	4	3.125"	
2003-11134	41158043	4.212	4		
2003-11135	41158034	6.372.4	6		
2003-11136	41158137	V8.340	8		
2003-11138	41158044	4.212	4		
2003-11139	4181A021	1004T/1006T	4/6		
2003-11140	4181A045	1004.40	4		
2003-11141	4181A033	1004.40	4		

SLEEVE, CYLINDER

EVS® NUMBER	OEM NUMBER	ENGINE	CYL.	BORE	REMARK
PERKINS®					
2008-11058	31358394	4.236/G4.236/T4.236	4	3.875"	F.R.FINISH
2008-11058	31358394	6.354/6.354.1	6	3.875"	F.R.FINISH
2008-11058	31358394	6.354.2/6.354.4	6	3.875"	F.R.FINISH
2008-11058	31358394	T6.354/T6.354.1	6	3.875"	F.R.FINISH
2008-11058	31358394	T6.354.3/T6.354.4	6	3.875"	F.R.FINISH
2008-11058SF	31358393	6.354/6.354.1	6	3.875"	F.R.UNFINISH
2008-16602	3135X032	4.236/G4.236/T4.236	4	3.875"	F. FINISH
2008-16602SF	3135X031	4.236/G4.236/T4.236	4	3.875"	F. UNFINISH
2008-11062	31358352	4.236/G4.236/T4.236	4	3.875"	F.R.FINISH
2008-11059	31358324	4.236/6.354	4/6	3.875"	P.UNFINISH
2008-12106	31358327	4.236	4		F.FINISH
2008-16603	3135X034	4.248/4.248.2	4	3.975"	F.FINISH
2008-16603SF	3135X033	4.248/4.248.2	4	3.975"	F.UNFINISH
2008-11071	31358343	4.248/6.372	4/6	3.975"	
2008-11072	31358346	4.248/6.372	4/6	3.975"	
2008-11056	31358345	3.152/D3.152/G3.152	3	3.600"	F.FINISH
2008-11056	31358345	4.203/D4.203/G4.203	4	3.600"	F.FINISH
2008-11103	31358356	T3.152	3	3.600"	
2008-12102	31358384	3.152	3		+010 SIZE
2008-11066	31358534	4.318	4	4.500"	F.FINISH
2008-16604	3135X042	1004NA/1004T	4	3.937"	F.FINISH
2008-16604	3135X042	1006NA/1006T	6	3.937"	F.FINISH
2008-16604SF	3135X041	1004NA/1004T	4	3.937"	F.UNFINISH
2008-16604SF	3135X041	1006NA/1006T	6	3.937"	F.UNFINISH
2008-12101	3135X062	1004.4	4		
2008-12104SF	3135X063	1004.4	4		SEMI-F
2008-11054	31358117	4.108	4	3.125"	P.UNFINISH
2008-16601	31358308	4.203	4	3.600"	C.L.FINISH
2008-11102	31358308C	4.203	4		CAST IRON
2008-11070	31358126	V8.540	8		
2008-11073	31358398	4.236 +010 SIZE	4		
NOTE:	C.L.=CHROME LIP				
	F=FLANGED				
	F.R.=FLAME RING				
	P=PLAIN				

C/S BEARING SET

EVS® NUMBER	OEM NUMBER	ENGINE	CYL.	SIZE	REMARK
PERKINS®					
2050-12101	81558	4.236/G4.236/T4.236	4	STD	
2050-12101-1	81558A	4.236/G4.236/T4.236	4	.010"	
2050-12101-2	81558B	4.236/G4.236/T4.236	4	.020"	
2050-12101-3	81558C	4.236/G4.236/T4.236	4	.030"	
2050-12101-4	81558D	4.236/G4.236/T4.236	4	.040"	
2050-12101	81558	4.248/4.2148.2	4	STD	
2050-12101-1	81558A	4.248/4.2148.2	4	.010"	
2050-12101-2	81558B	4.248/4.2148.2	4	.020"	
2050-12101-3	81558C	4.248/4.2148.2	4	.030"	
2050-12101-4	81558D	4.248/4.2148.2	4	.040"	
2050-12107	68084	3.152/D3.152/G3.152	3	STD	
2050-12107-1	68084A	3.152/D3.152/G3.152	3	.010"	
2050-12107-2	68084B	3.152/D3.152/G3.152	3	.020"	
2050-12107-3	68084C	3.152/D3.152/G3.152	3	.030"	
2050-12107-4	68084D	3.152/D3.152/G3.152	3	.040"	
2050-12108	68082	4.203/D4.203/G4.203	4	STD	
2050-12108-1	68082A	4.203/D4.203/G4.203	4	.010"	
2050-12108-2	68082B	4.203/D4.203/G4.203	4	.020"	
2050-12108-3	68082C	4.203/D4.203/G4.203	4	.030"	
2050-12108-4	68082D	4.203/D4.203/G4.203	4	.040"	
2050-12108	68082	4.203.2	4	STD	
2050-12108-1	68082A	4.203.2	4	.010"	
2050-12108-2	68082B	4.203.2	4	.020"	
2050-12108-3	68082C	4.203.2	4	.030"	
2050-12108-4	68082D	4.203.2	4	.040"	
2050-12111	85010	6.354/6.354.1/6.354.2	6	STD	
2050-12111-1	85010A	6.354/6.354.1/6.354.2	6	.010"	
2050-12111-2	85010B	6.354/6.354.1/6.354.2	6	.020"	
2050-12111-3	85010C	6.354/6.354.1/6.354.2	6	.030"	
2050-12111-4	85010D	6.354/6.354.1/6.354.2	6	.040"	
2050-12115	U5MB0007	6.354.4/T6.354.4	6	STD	
2050-12115-1	U5MB0007A	6.354.4/T6.354.4	6	.010"	
2050-12115-2	U5MB0007B	6.354.4/T6.354.4	6	.020"	
2050-12115-3	U5MB0007C	6.354.4/T6.354.4	6	.030"	
2050-12115-4	U5MB0007D	6.354.4/T6.354.4	6	.040"	

C/S BEARING SET

EVS® NUMBER	OEM NUMBER	ENGINE	CYL.	SIZE	REMARK
PERKINS®					
2050-12113	68078	T6.354/T6.354.1	6	STD	
2050-12113-1	68078A	T6.354/T6.354.1	6	.010"	
2050-12113-2	68078B	T6.354/T6.354.1	6	.020"	
2050-12113-3	68078C	T6.354/T6.354.1	6	.030"	
2050-12113-4	68078D	T6.354/T6.354.1	6	.040"	
2050-12124	84992	4.108	4	STD	
2050-12124-1	84992A	4.108	4	.010"	
2050-12124-2	84992B	4.108	4	.020"	
2050-12124-3	84992C	4.108	4	.030"	
2050-12124-4	84992D	4.108	4	.040"	
2050-12117	68085	4.318	4	STD	
2050-12117-1	68085A	4.318	4	.010"	
2050-12117-2	68085B	4.318	4	.020"	
2050-12117-3	68085C	4.318	4	.030"	
2050-12117-4	68085D	4.318	4	.040"	
2050-12101	81558	1004NA/1004T	4	STD	
2050-12101-1	81558A	1004NA/1004T	4	.010"	
2050-12101-2	81558B	1004NA/1004T	4	.020"	
2050-12101-3	81558C	1004NA/1004T	4	.030"	
2050-12101-4	81558D	1004NA/1004T	4	.040"	
2050-12115	U5MB0007	1006NA/1006T	6	STD	
2050-12115-1	U5MB0007A	1006NA/1006T	6	.010"	
2050-12115-2	U5MB0007B	1006NA/1006T	6	.020"	
2050-12115-3	U5MB0007C	1006NA/1006T	6	.030"	
2050-12115-4	U5MB0007D	1006NA/1006T	6	.040"	
2050-12152	U5MB0008	T3.152.4	3	STD	
2050-12152-1	U5MB0008A	T3.152.4	3	.010"	
2050-12152-2	U5MB0008B	T3.152.4	3	.020"	
2050-12152-3	U5MB0008C	T3.152.4	3	.030"	
2050-12152-4	U5MB0008D	T3.152.4	3	.040"	
2050-12153	68079	6.354	6	STD	
2050-12153-1	68079A	6.354	6	.010"	
2050-12153-2	68079B	6.354	6	.020"	
2050-12153-3	68079C	6.354	6	.030"	
2050-12153-4	68079D	6.354	6	.040"	

C/R BEARING SET

EVS® NUMBER	OEM NUMBER	ENGINE	CYL.	SIZE	REMARK
PERKINS®					
2051-12101	85042	4.236/G4.236	4	STD	
2051-12101-1	85042A	4.236/G4.236	4	.010"	
2051-12101-2	85042B	4.236/G4.236	4	.020"	
2051-12101-3	85042C	4.236/G4.236	4	.030"	
2051-12101-4	85042D	4.236/G4.236	4	.040"	
2051-12103	U5ME0006	T4.236	4	STD	
2051-12103-1	U5ME0006A	T4.236	4	.010"	
2051-12103-2	U5ME0006B	T4.236	4	.020"	
2051-12103-3	U5ME0006C	T4.236	4	.030"	
2051-12103-4	U5ME0006D	T4.236	4	.040"	
2051-12101	85042	4.248/4.248.2	4	STD	
2051-12101-1	85042A	4.248/4.248.2	4	.010"	
2051-12101-2	85042B	4.248/4.248.2	4	.020"	
2051-12101-3	85042C	4.248/4.248.2	4	.030"	
2051-12101-4	85042D	4.248/4.248.2	4	.040"	
2051-12107	85036	3.152/D3.152	3	STD	
2051-12107-1	85036A	3.152/D3.152	3	.010"	
2051-12107-2	85036B	3.152/D3.152	3	.020"	
2051-12107-3	85036C	3.152/D3.152	3	.030"	
2051-12107-4	85036D	3.152/D3.152	3	.040"	
2051-12107	85036	G3.152	3	STD	
2051-12107-1	85036A	G3.152	3	.010"	
2051-12107-2	85036B	G3.152	3	.020"	
2051-12107-3	85036C	G3.152	3	.030"	
2051-12107-4	85036D	G3.152	3	.040"	
2051-12108	85035	4.203/D4.203	4	STD	
2051-12108-1	85035A	4.203/D4.203	4	.010"	
2051-12108-2	85035B	4.203/D4.203	4	.020"	
2051-12108-3	85035C	4.203/D4.203	4	.030"	
2051-12108-4	85035D	4.203/D4.203	4	.040"	
2051-12108	85035	G4.203/4.203.2	4	STD	
2051-12108-1	85035A	G4.203/4.203.2	4	.010"	
2051-12108-2	85035B	G4.203/4.203.2	4	.020"	
2051-12108-3	85035C	G4.203/4.203.2	4	.030"	
2051-12108-4	85035D	G4.203/4.203.2	4	.040"	

C/R BEARING SET

EVS® NUMBER	OEM NUMBER	ENGINE	CYL.	SIZE	REMARK
PERKINS®					
2051-12111	85043	6.354/6.354.1	6	STD	
2051-12111-1	85043A	6.354/6.354.1	6	.010"	
2051-12111-2	85043B	6.354/6.354.1	6	.020"	
2051-12111-3	85043C	6.354/6.354.1	6	.030"	
2051-12111-4	85043D	6.354/6.354.1	6	.040"	
2051-12111	85043	6.354.4	6	STD	
2051-12111-1	85043A	6.354.4	6	.010"	
2051-12111-2	85043B	6.354.4	6	.020"	
2051-12111-3	85043C	6.354.4	6	.030"	
2051-12111-4	85043D	6.354.4	6	.040"	
2051-12113	U5ME0007	T6.354/T6.354.1	6	STD	
2051-12113-1	U5ME0007A	T6.354/T6.354.1	6	.010"	
2051-12113-2	U5ME0007B	T6.354/T6.354.1	6	.020"	
2051-12113-3	U5ME0007C	T6.354/T6.354.1	6	.030"	
2051-12113-4	U5ME0007D	T6.354/T6.354.1	6	.040"	
2051-12115	U5ME0003	T6.354.4	6	STD	
2051-12115-1	U5ME0003A	T6.354.4	6	.010"	
2051-12115-2	U5ME0003B	T6.354.4	6	.020"	
2051-12115-3	U5ME0003C	T6.354.4	6	.030"	
2051-12115-4	U5ME0003D	T6.354.4	6	.040"	
2051-12117	85041	4.318	4	STD	
2051-12117-1	85041A	4.318	4	.010"	
2051-12117-2	85041B	4.318	4	.020"	
2051-12117-3	85041C	4.318	4	.030"	
2051-12117-4	85041D	4.318	4	.040"	
2051-12101	85042	1004NA	4	STD	
2051-12101-1	85042A	1004NA	4	.010"	
2051-12101-2	85042B	1004NA	4	.020"	
2051-12101-3	85042C	1004NA	4	.030"	
2051-12101-4	85042D	1004NA	4	.040"	
2051-12103	U5ME0006	1004 T	4	STD	
2051-12103-1	U5ME0006A	1004 T	4	.010"	
2051-12103-2	U5ME0006B	1004 T	4	.020"	
2051-12103-3	U5ME0006C	1004 T	4	.030"	
2051-12103-4	U5ME0006D	1004 T	4	.040"	

C/R BEARING SET

[illegible]

THRUST WASHER

EVS® NUMBER	OEM NUMBER	ENGINE	APPL.	SIZE	REMARK
PERKINS®					
2053-12101	31137551	4.236/G4.236	TOP	STD	
2053-12102	31137561	4.236/G4.236	BOTTOM	STD	
2053-12101-1	31137312	4.236/G4.236	TOP	.007"	
2053-12102-1	31137322	4.236/G4.236	BOTTOM	.007"	
2053-12101	31137551	T4.236	TOP	STD	
2053-12102	31137561	T4.236	BOTTOM	STD	
2053-12101-1	31137312	T4.236	TOP	.007"	
2053-12102-1	31137322	T4.236	BOTTOM	.007"	
2053-12101	31137551	4.248/4.248.2	TOP	STD	
2053-12102	31137561	4.248/4.248.2	BOTTOM	STD	
2053-12101-1	31137312	4.248/4.248.2	TOP	.007"	
2053-12102-1	31137322	4.248/4.248.2	BOTTOM	.007"	
2053-12107	31137211	3.152/D3.152	TOP	STD	
2053-12108	31137221	3.152/D3.152	BOTTOM	STD	
2053-12107-1	31137212	3.152/D3.152	TOP	.007"	
2053-12108-1	31137222	3.152/D3.152	BOTTOM	.007"	
2053-12107	31137211	G3.152	TOP	STD	
2053-12108	31137221	G3.152	BOTTOM	STD	
2053-12107-1	31137212	G3.152	TOP	.007"	
2053-12108-1	31137222	G3.152	BOTTOM	.007"	
2053-12107	31137211	4.203/D4.203	TOP	STD	
2053-12108	31137221	4.203/D4.203	BOTTOM	STD	
2053-12107-1	31137212	4.203	TOP	.007"	
2053-12108-1	31137222	D4.203	BOTTOM	.007"	
2053-12107	31137211	G4.203/4.203.2	TOP	STD	
2053-12108	31137221	G4.203/4.203.2	BOTTOM	STD	
2053-12107-1	31137212	G4.203/4.203.2	TOP	.007"	
2053-12108-1	31137222	G4.203/4.203.2	BOTTOM	.007"	

THRUST WASHER

[illegible]

BUSHINGS(ROD & CAM)

[illegible]

TOP SET, GASKET

EVS® NUMBER	OEM NUMBER	ENGINE	REMARK
PERKINS®			
1056-12065	40007	3.152	USE U5LT0012
1056-12065	U5LT0012	3.152	USE U5LT0512
1056-12065	U5LT0512	3.152	
1056-12063	U5LT0038	D3.152	USE U5LT0538
1056-12063	U5LT0538	D3.152/3.152.2/3.152.4	
1056-12119	85793	G3.152	USE U5LT0014
1056-12119	U5LT0014	G3.152	USE U5LT0037
1056-12119	U5LT0037	G3.152	USE U5LT0537
1056-12119	U5LT0537	G3.152	
1056-12173	U5LT0040	T3.152.4	USE U5LT0080
1056-12173	U5LT0080	T3.152.4	USE U5LT0218
1056-12173	U5LT0218	T3.152.4	USE U5LT1139
1056-12173	U5LT1139	T3.152.4	
1056-12145	92425	4.108	USE U5LT0085
1056-12145	U5LT0085	4.108	
1056-12167	85786	4.108	USE U5LT0086
1056-12167	U5LT0086	4.108	
1056-12169	86965	4.108	
1056-12091	40004	4.203	USE 69036
1056-12091	69036	4.203	USE U5LT0509
1056-12091	U5LT0509	4.203	
1056-12121	U5LT0069	D4.203	USE U5LT0081
1056-12121	U5LT0081	D4.203	USE U5LT0100
1056-12121	U5LT0100	D4.203	
1056-12095	89271	G4.203	USE U5LT0070
1056-12095	U5LT0070	G4.203	USE U5LT0082
1056-12095	U5LT0082	G4.203	USE U5LT0101
1056-12095	U5LT0101	G4.203	
1056-12097	U5LT0041	4.203.2	USE U5LT0072
1056-12097	U5LT0072	4.203.2	USE U5LT0084
1056-12097	U5LT0084	4.203.2	USE U5LT0102
1056-12097	U5LT0102	4.203.2	
1056-12047	68250	4.236	
1056-12077	U5LT0015	4.236	
1056-12171	U5LT0052	4.236	
1056-12061	U5LT0050	4.236	USE U5LT0076
1056-12061	U5LT0076	4.236	USE U5LT0176
1056-12061	U5LT0176	4.236/G4.236	
1056-12115	U5LT0177	G4.236	

TOP SET, GASKET

EVS® NUMBER	OEM NUMBER	ENGINE	REMARK
PERKINS®			
1056-12081	U5LT0046	T4.236	USE U5LT0546
1056-12081	U5LT0546	T4.236	
1056-12083	U5LT0048	T4.236	USE U5LT0068
1056-12083	U5LT0068	T4.236	USE U5LT0075
1056-12083	U5LT0075	T4.236	USE U5LT0175
1056-12083	U5LT0175	T4.236	
1056-12087	89299	4.248	USE U5LT0016
1056-12087	U5LT0016	4.248	USE U5LT0074
1056-12087	U5LT0074	4.248	USE U5LT0174
1056-12087	U5LT0174	G4.236/T4.236/4.248/4.248.2	
1056-12085	U5LT0065	4.236/4.248/4.248.2	
1056-12113	69048	4.318	USE U5LT0520
1056-12113	U5LT0520	4.318	
1056-12073	U5LT0178	1004NA/1004T	
1056-12075	U5LT0179	1006NA/1006T	
1056-12075	U5LT0051	1006NA/1006T	USE U5LT0179
1056-12123	68277	6.354	
1056-12129	68275	6.354	USE U5LT0181
1056-12129	68282	6.354	USE U5LT0181
1056-12129	68287	6.354	USE U5LT0181
1056-12129	68298	6.354	USE U5LT0181
1056-12129	U5LT0181	6.354	
1056-12127	68289	6.354	USE 68293
1056-12127	68293	6.354	USE U5LT0184
1056-12127	U5LT0184	6.354	
1056-12131	69002	6.354/6.354.1	USE U5LT0185
1056-12131	U5LT0185	6.354/6.354.1	
1056-12101	69004	6.354/6.354.1/T6.354.1	
1056-12103	69005	6.354/6.354.1/T6.354.1	USE U5L0506
1056-12103	U5L0506	6.354/6.354.1/T6.354.1	
1056-12071	U5LT0021	6.354/T6.354.1	USE U5LT0521
1056-12071	U5LT0521	6.354/T6.354.1	
1056-12139	U5LT0022	6.354/T6.354	USE U5LT0182
1056-12139	U5LT0027	T6.354	USE U5LT0182
1056-12139	U5LT0182	6.354/T6.354	

TOP SET, GASKET

[illegible]

BOTTOM SET, GASKET

EVS® NUMBER	OEM NUMBER	ENGINE	REMARK
PERKINS®			
1056-12126	U5LB0012	3.152	USE U5LB0112
1056-12126	U5LB0112	3.152	
1056-12064	U5LB0011	D3.152	USE U5LB0111
1056-12064	U5LB0111	D3.152	
1056-12066	U5LB0110	3.152/D3.152	
1056-12090	86974	G3.152	
1056-12146	U5LB0013	4.108	USE U5LB0113
1056-12146	U5LB0113	4.108	
1056-12144	U5LB0116	4.108	
1056-12092	U5LB0015	4.203/G4.203/4.203.2	USE U5LB0115
1056-12092	U5LB0115	4.203/G4.203/4.203.2	
1056-12094	68036	D4.203	
1056-12128	89908	D4.203	
1056-12096	U5LB0117	D4.203	
1056-12062	U5LB0046	4.236/T4.236/4.248.2	
1056-12088	U5LB0033	4.236	USE U5LB0146
1056-12088	U5LB0146	4.236/T4.236/4.248/4.248.2	
1056-12082	88971	G4.236	USE U5LB0147
1056-12082	92442	G4.236	USE U5LB0147
1056-12082	U5LB0147	G4.236	
1056-12062	U5LB0046	T4.236	
1056-12086	68009	4.248	USE U5LB0145
1056-12086	U5LB0003	4.248	USE U5LB0145
1056-12086	U5LB0145	4.248	
1056-12078	U5LB0045	4.248	
1056-12112	68211	4.318	USE U5LB0221
1056-12112	U5LB0221	4.318	
1056-12074	U5LB0151	1004 NA	
1056-12118	U5LB0042	1004NA/1004T	USE U5LB0152
1056-12118	U5LB0052	1004T	USE U5LB0152
1056-12118	U5LB0152	1004NA/1004T	
1056-12070	U5LB0055	6.354/6.354.4/T6.354.4	USE U5LB0155
1056-12070	U5LB0155	6.354/6.354.4/T6.354.4	
1056-12132	U5LB0056	6.354	USE U5LB0156
1056-12132	94496	6.354.1/T6.354.1	USE U5LB0156

BOTTOM SET, GASKET

[illegible]

OIL SEAL, CRANKSHAFT

[illegible]

ENGINE VALVES

EVS® NUMBER	OEM NUMBER	ENGINE	DESCRIPTION	REMARK
PERKINS®				
2016-11012	31431261	3.152/4.203	VALVE, INTAKE	
2016-11013	091002	3.152	VALVE, EXHAUST	
2016-11014	31431681	D3.152/D4.203	VALVE, INTAKE	
2016-11024	31431011	D3.152	VALVE, EXHAUST	
2016-11017	31431741	G3.152/G4.203	VALVE, INTAKE	
2016-11018	31431731	G3.152/G4.203	VALVE, EXHAUST	
2016-11033	31431281	D3.152	VALVE, INTAKE	
2016-11031	31431031	3.152.4	VALVE, EXHAUST	
2016-11032	31431121	T3.152.4	VALVE, INTAKE	
2016-11036	3142A081	D3.152	VALVE, EXHAUST	
2016-11037	31431385	D3.152	VALVE, EXHAUST	
2016-11016	31431941	4.203	VALVE, EXHAUST	
2016-11015	31431991	D4.203/4.203.2	VALVE, EXHAUST	
2016-11019	31431981	4.203.2	VALVE, INTAKE	
2016-11034	31431591	4.203	VALVE, EXHAUST	
2016-11003	31431315	4.236/4.248/4.248.2/6.354 6.354.1/6.354.4/T6.354 T6.354.1/T6.354.4	VALVE, INTAKE	
2016-11004	3142A052	4.236/T4.236/4.248 4.248.2/6.354/6.354.1 T6.354/T6.354.1	VALVE, EXHAUST	
2016-11030	31431951	T6.354.4	VALVE, EXHAUST	
2016-11005	31431871	G4.236	VALVE, INTAKE	
2016-11006	31431701	G4.236	VALVE, EXHAUST	
2016-11007	3142H002	T4.236	VALVE, INTAKE	
2016-11028	31431881	4.236/4.248.2	VALVE, EXHAUST	
2016-11029	31431641	4.248.2	VALVE, INTAKE	
2016-11020	31431154	4.318	VALVE, INTAKE	
2016-11021	31431671	4.318	VALVE, EXHAUST	
2016-11009	3142L051	1004-4/1006-6	VALVE, INTAKE	
2016-11008	3142A051	1004-4/1004-4T 1006-6/1006-6T 6.354.4/T6.354.4	VALVE, EXHAUST	
2016-11010	3142L071	1004-4T	VALVE, INTAKE	
2016-11011	3142L072	1006-6T	VALVE, INTAKE	

ENGINE VALVES

[illegible]

GUIDES, VALVE

EVS® NUMBER	OEM NUMBER	ENGINE	DESCRIPTION	REMARK
PERKINS®				
2026-11007	33261723	3.152/D3.152 4.203/D4.203	VALVE GUIDES, IN. & EX.	USE 3316A031
2026-11008	33231725	G3.152/G4.203	VALVE GUIDES, IN. & EX.	USE 3313E011
2026-11008	3313E011	G3.152/G4.203	VALVE GUIDES, IN. & EX.	USE 3313E734
2026-11009	33261727	D4.203/4.203.2	VALVE GUIDES, IN.	
2026-11007	33261723	D4.203/4.203.2	VALVE GUIDES, EX.	USE 3316A031
2026-11011	3343F031	4.236/G4.236/T4.236 4.248/1004/1006/6.354	VALVE GUIDES, IN.	USE 3343F041
2026-11012	3343J002	4.236/G4.236/T4.236 4.248/1004/1006/6.354	VALVE GUIDES, EX.	
2026-11006	3343F002	T6.354.4	VALVE GUIDES, IN.	
2026-11012	3343J002	T6.354.4	VALVE GUIDES, EX.	USE 3343J021
2026-11010	33432532	4.318	VALVE GUIDES, IN. & EX.	
2026-11013	3313E001	4.108	VALVE GUIDES, IN.	
2026-11007	33261723	4.108	VALVE GUIDES, EX.	USE 3316A031
2026-11007	3316A031	3.152/4.203/4.108	VALVE GUIDES, EX.	
2026-11008	3313E734	G3.152/G4.203	VALVE GUIDES, EX.	
2026-11011	3343F041	4.236/G4.236/T4.236 4.248/1004/1006/6.354	VALVE GUIDES, IN.	
2026-11012	3343J021	T6.354.4	VALVE GUIDES, EX.	
2026-11013	3313E735	4.108	VALVE GUIDES, IN.	
2026-11014	33431505	V8.540	VALVE GUIDES	
2026-11015	3313A012	1004.4/1006.6	VALVE GUIDES	

MISCELLANEOUS

EVS® NUMBER	OEM NUMBER	ENGINE	DESCRIPTION	REMARK
PERKINS®				
1099-14017	0920053	4.318	WASHER, FUEL INJECTOR	
1099-14005	0920113	3.152/4.203	WASHER, FUEL INJECTOR	
1099-14018	0921173	D3.152/4.236/4.248/4.318/1004/1006/6.354	WASHER, FUEL INJECTOR	
1099-14019	2411126	T6.354.4	WASHER, FUEL INJECTOR	
1099-14001	0566002	D3.152/4.203	OLIVE, LOW PRESSURE PIPES	
1099-14003	0566003	3.152/4.203/4.236/4.248/1004/6.354	OLIVE, LOW PRESSURE PIPES	
1099-14002	0566004	6.354	OLIVE, LOW PRESSURE PIPES	
1099-14008	33811112	3.152/4.203/4.236/4.248/4.318/1004/6.354	OLIVE, LOW PRESSURE PIPES	
1099-14020	33811113	3.152/4.203/4.236/4.1248/4.318/1004	OLIVE, LOW PRESSURE PIPES	
1099-14006	33811114	6.354	OLIVE, LOW PRESSURE PIPES	
1099-14007	33811115	3.152/4.203/4.236/4.248/4.318	OLIVE, LOW PRESSURE PIPES	
1099-14015	0921176	3.152/4.203/4.236/4.248/4.318/6.354	LEAK OFF BANJO WASHERS	
1099-14004	0920146	1004	LEAK OFF BANJO WASHERS	
1099-14009	33817117	4.248	VALVE STEM SEAL	
1099-14010	2415258	3.152	VALVE STEM SEAL	
1099-14016	33817403	4.108	VALVE STEM SEAL	
1099-14014	33423148		VALVE SPRING RETAINER	
1099-14013	33423122		VALVE SPRING RETAINER	
1099-14012	33424107		VALVE SPRING RETAINER	
1099-14011	33423147		VALVE SPRING RETAINER	
1027-21001	3174P405	1004	VALVE SPRING, INNER/OUTER	
1027-21002	31744127	4.212/4.236	VALVE SPRING, INNER	
1027-21003	31745117	4.212/4.236	VALVE SPRING, OUTER	
1027-21004	31744131	4.236/4.248	VALVE SPRING, INNER	
1027-21005	31745121	4.236/4.248	VALVE SPRING, OUTER	

EVS® NUMBER	OEM NUMBER	ENGINE	DESCRIPTION	REMARK
PERKINS®				
1027-21006	31744133	1004/1006	VALVE SPRING INNER	
1027-21007	31745122	1004/1006	VALVE SPRING OUTER	
1027-12101	33152139	4.236	INSERT VALVE SEAT	
1027-12102	33152153	4.236	INSERT VALVE SEAT	
1027-12103	33152154	T6.354.4	INSERT VALVE SEAT EX.	
1027-12104	33152155	T6.354.4	INSERT VALVE SEAT IN.	
1027-12105	3314A001	1004	INSERT VALVE SEAT IN.	
1027-12106	3314A004	1004	INSERT VALVE SEAT EX.	
1027-12107	33124428	4.203/D3.152	INSERT VALVE SEAT	
1027-12108	33124141	G4.236	INSERT VALVE SEAT	
1027-12109	470676	3.152	INSERT VALVE SEAT	
1027-12110	470477	4.203/D3.152	INSERT VALVE SEAT	
1027-12111	33125121	6.354	INSERT VALVE SEAT IN.	

-- 24 --

